

Telenetics Price Sheet

West Coast Sales: 925-944-0777 East Coast: 727-548-7998

www.americantechsupply.com

Updated 5-28-03

Sunrise Series Products		
PRODUCT CODE #	DESCRIPTION	LIST PRICE (USD\$)
	2185 Digital Bridge	(0024)
TEL-28442	P.S. DESKTOP 110/120/240VAC	\$102
TEL-28500	2185 Standalone 110/120 VAC 5 CHANNEL	\$1,159
TEL-28501	2185 Standalone 220/240 VAC 5 CHANNEL	\$1,159
TEL-28504	2185 Nest Card for use in Modular Nests 5 CHANNEL	\$758
	326X SDC MODEMS	
	3260 V.34 SDC Dial Standalone Modem	
	33.6kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; Sync Data Compression (SDC);	
	Dial and 2W leased line model; NMS; Security; LCD display. Includes phone cable, User Guide and	
TEL-42700	USA; DTE Interface is V.24/RS-232 electrical, DB25 mechanical.	\$1,090
TEL-42746	V.35 USA. DTE interface is V.35 electrical, DB25 mechanical, DB25-to-V.35 mechanical adapter cable must be ordered separately if needed.	\$1,090
	3261 V.34 SDC LL and Dial Standalone Modem	
	33.6kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; Sync Data Compression; NMS;	
	Security; LCD; dial and 2/4W leased line. Includes phone cables, User Guide and power cord	
TEL-42701	USA ; DTE Interface is V.24/RS-232 electrical, DB25 mechanical.	\$1,555
	3262 V.34 SDC Dual Dial, Dual Nest Card Modem	
	33.6kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; Sync Data Compression (SDC);	
TEL 10700	NMS; Security; LCD display. Dual nest card; dual dial capability; Includes User Guide.	
TEL-42702	USA	\$1,845
	3263 V.34 SDC LL and Dial, Single Nest Card Modem	
	33.6kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; Sync Data Compression; NMS;	
	Security; LCD; dial and 2/4W leased line. Includes User Guide.	
TEL-42703	USA	\$1,485
		7 1,100
	3265 V.34 SDC Dial Standalone Modem	
	33.6kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; NMS; Security; LCD; dial and 2W	
TEL 10070	leased line. Includes phone cable, User Guide and power cord. Elec. Interface is V.24/RS-232 unless	* * * * * * * * * *
TEL-42679	China	\$1,391 \$1,045
TEL-42660 TEL-42789	Portugal Universal International (UI) UI 110/120/220/240 VAC K21; 110/120 VAC and 220/240 VAC power cords	\$1,045 \$1,045
TEL-42769	SCAN	\$1,045 \$1,045
TEL-42815	Germany	\$1,045
TEL-42816	France	\$1,045
TEL-42817	Spain	\$1,045
TEL-42818	UK, Ireland	\$1,045
	3266 V.34 SDC LL and Dial Standalone Modem	
	33.6kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; NMS; Security; LCD; dial and	
	2/4W leased line. Includes phone cables, User Guide and power cord. Elec. Interface is V.24/RS-232	
TEL-42786	V.35 Universal International (UI) 220 K21. DTE interface is V.35 electrical, DB25 mechanical, DB25-to-	\$1,650
	V.35 mechanical adapter cable must be ordered separately if needed. 110/120 VAC and 220/240 VAC	
TEL-42790	Universal International (UI) 110/120/220 K21	\$1,530
TEL-42809	SCAN (Denmark, Norway, Finland, Sweden)	\$1,650
TEL-42810	Germany, Switzerland, Austria	\$1,650

\$1,650 \$1,650 \$1,650 \$1,650 \$1,650 Dual Dial, Dual Nest Card Modem and MNP5 data compression; NMS; Security; LCD; dial and 2W d line. Includes User Guide. \$1,815 \$1,815 \$1,815 \$1,815
\$1,650 Dual Dial, Dual Nest Card Modem Ind MNP5 data compression; NMS; Security; LCD; dial and 2W d line. Includes User Guide. \$1,815 \$1,815 \$1,815 \$1,815 \$1,815
Dual Dial, Dual Nest Card Modem Ind MNP5 data compression; NMS; Security; LCD; dial and 2W d line. Includes User Guide. \$1,815 \$1,815 \$1,815 \$1,815 \$1,815
nd MNP5 data compression; NMS; Security; LCD; dial and 2W d line. Includes User Guide. \$1,815 \$1,815 \$1,815 \$1,815 \$1,815
nd MNP5 data compression; NMS; Security; LCD; dial and 2W d line. Includes User Guide. \$1,815 \$1,815 \$1,815 \$1,815 \$1,815
d line. Includes User Guide. \$1,815 \$1,815 \$1,815 \$1,815 \$1,815 \$1,815
\$1,815 \$1,815 \$1,815 \$1,815 \$1,815
\$1,815 \$1,815 \$1,815 \$1,815
\$1,815 \$1,815 \$1,815
\$1,815 \$1,815
\$1,815
0.4.0.4.5
\$1,815
\$1,540
and Dial, Single Nest Card Modem
and MNP5 data compression; NMS; Security; LCD; dial and
e. Elec. Interface is V.24/RS-232 unless otherwise specified.
\$1,530
a \$1,540
n, Portugal \$1,540
, 1 ortugui \$ 1,0 10
ETWADE LIDGDADE KITS
FTWARE UPGRADE KITS
rade VERSION 8.1 Adds V.90 compliant SW. For data rates to \$49
/ Rev. 7.1 or 7.2 only. 4 PROM's, wrist strap, PROM
rade VERSION 8.1 Adds V.90 compliant SW. For data rates to \$49
Rev. 7.01 or 7.5 thru 8.0. 2 PROM's, wrist strap, PROM
SERIES MODEMS
dalama Madam (Nan Ol D Madal)
dalone Modem (Non-SLR Model)
s and MNP5 data compression; NMS; Security; dial and 2W
otherwise indicated. Includes phone cable, User Guide and
/u SW on CD (TEL-39598) & DIN adapter cable (TEL-40384)
\$550
\$550
udi Arabia, Uruguay, Chile, Egypt, Turkey, Vietnam \$550
Columbia, Costa Rica, Dominican Rep., Ecuador, El Salvador, \$550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela.
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela.
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
S550
S550
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad, Venezuela. \$550 \$550 \$550 \$550 \$550 \$550 \$550 \$5
6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

	3460 Accessway Nest, 2 Wire Model	
	For use with Non-SLR 3460 Fast'R Nest Card Modems listed above. Includes User Guide, Fast'RVu	
	SW on CD (TEL-39598), & DIN adapter cable (TEL-40384). AC-powered nests ship from factory with	
	power supply set to 240 VAC. Power supply is easily reconfigurable to 100/120/220 VAC by	
TEL-39702	100/120/220/240 VAC Nest, MT/MB 2W model with Mass Termination and Make Busy Backplane. Order	\$1,29
TEL-39704	100/120/220/240 VAC Nest, RJ11/MB 2W model with RJ11 Connectors and Make Busy Backplane. Order	\$1,29
TEL-39705	-48 VDC Nest, MT/MB 2W model with Mass Termination and Make Busy Backplane.	\$2,39
TEL-39710	-48 VDC Nest 2W model with Mass Termination Backplane.	\$2,39
TEL-39715	-48 VDC Nest 2W model with RJ11 Connectors and Make Busy Backplane.	\$2,39
	3460 Fast'R SLR Standalone Modem	
	33.6kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; NMS; Security; dial and 2/4W	
	leased line with restoral. Includes phone cable, User Guide, and external transformer. Order	
	Fast'RVu SW on CD (TEL-39598) & DIN adapter cable (TEL-40384) separately. 110/120 VAC unless	
TEL-29900	United States, Puerto Rico	\$66
TEL-29919	Portugal	\$66
TEL-29924	United Kingdom	\$66
TEL-29930	Brazil (110/120 VAC)	\$66
TEL-29932	Russia	\$66
	3460 Fast'R SLR Nest Card Modem	
	Single modem card for use in 3460 SLR Nest; same features as 3460 Fast'R SLR Standalone. Order	
TEL 00000	User Guide, Fast'RVu SW on CD (TEL-39598), & DIN adapter cable (TEL-40384) separately (both	000
TEL-39900 TEL-39903	United States, Puerto Rico	\$60
1EL-39903	Algeria, Argentina, Bahrain, Belize, Bermuda, Bolivia, Botswana, Chile, China, Colombia, Costa Rica, Cyprus, Dominican Republic, Ecuador, Egypt, El Salvador, Ghana, Guatemala, Hong Kong, Honduras,	\$60
	Indonesia, Jamaica, Kuwait, Lebanon, Mexico, Morocco, Nicaragua, Oman, Pakistan, Panama, Peru,	
TEL-39907	Philippines, Qatar, Saudi Arabia, Sri Lanka, Taiwan, Thailand, Trinidad, Tunisia, Turkey, UAE, Uruguay, Belgium	\$60
TEL-39907	Denmark	\$50 \$54
TEL-39906	United Kingdom	\$60
TEL-39932	Azerbaijan, Belarus, Brazil, Bulgaria, Croatia, Estonia, Hungary, Khazakstan, Kyrgyzstan, Latvia, Lithuania,	\$60
TEL 00002	Poland, Romania, Russia, Slovakia, Slovenia, Ukraine, Uzbekistan.	ΨΟΟ
TEL-39934	Malaysia	\$60
	2460 SLP Accessway Nest 2/4 Wire Model	
	3460 SLR Accessway Nest, 2/4 Wire Model	
	For use with 3460 Fast'R SLR Nest Card Modems. Includes User Guide, Fast'RVu SW on CD (TEL-39598), & DIN adapter cable (TEL-40384). AC-powered nests ship from factory with power supply set to 240 VAC. Power supply is easily reconfigurable to 100/120/220 VAC by changing rotating	
TEL-39729	100/120/220/240 VAC. Power supply is easily recomingurable to 100/120/220 VAC by changing rotating 100/120/220/240 VAC Nest, RJ11/MB 2/4W SLR model w/RJ11 connectors, Make-Busy Backplane. Order	\$1,39
TEL-39739	-48 VDC Nest, RJ11 2/4W SLR model w/RJ11 connectors.	\$2,49
122 00700	TO VBO NOOL, NOTE 24W OLIVINGOOWN TO THOUGHOUT.	Ψ2, τ
	3460 Fast'R Plus LCD Front Panel Standalone Modem	
	ITU-T V.34 modem; V.42bis and NMP5 data compression; LCD front panel, NMS, security, dial and 2W leased line. Includes phone cable, User Guide, and external transformer. Fast'RVu software (TEL-39598) and DIN adapter cable (TEL-40384) ordered separately.	
TEL-39851	North America	\$61
TEL-39853	UI 220/240 VAC Shuko model with Shuko power plug, for use in: Indonesia, Thailand, Saudi Arabia, Uruguay, Chile, Egypt, Turkey, Vietnam.	\$61
TEL-39854	UI 110/120 VAC model for use in: Bermuda, Bolivia, Colombia, Costa Rica, Dominican Republic, Ecuador,	\$61
30004	El Salvador, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Saudi Arabia, Taiwan, Trinidad,	ΨΟΙ
TEL-39857	Belgium	\$61
TEL-39858	Denmark	\$61
TEL-39860	France	\$61
TEL-39867	UI 220/240 VAC UK Model for use in: Bahrain, Botswana, Cyprus, Ghana, Kuwait, Lebanon, Oman, Pakistan, Qatar, Sri Lanka, United Arab Emirates.	\$61
TEL-39868	Netherlands	\$61
TEL-39869	Portugal	\$61
TEL-39874	UK	\$61
TEL-39881	Greece	\$61
TEL-39882	Russia	\$61
	UI 220/240 VAC K.21 Universal International; 220/240 VAC model	\$61

	3460 Fast'R SLR Plus w/ LCD Front Panel Standalone Modem	
	33.6Kbps ITU-T V.34 modem; V.42bis and MNP5 data compression; LCD front panel; NMS; Security;	
	dial and 2/4W leased line with restoral. Includes phone cables, User Guide, and external	
TE: 000=1	transformer. Order Fast'RVu SW on CD (TEL-39598) & DIN adapter cable (TEL-40384) separately.	^
TEL-29851	North America	\$725
TEL-29853	UI 220/240 VAC Shuko model With Shuko power plug, for use in: Indonesia, Thailand, Saudi Arabia,	\$725
	Uruguay, Chile, Egypt, Turkey, Vietnam.	
TEL-29854	UI 110/120 VAC model for use in: Bermuda, Bolivia, Colombia, Costa Rica, Dominican Republic, Ecuador,	\$725
	El Salvador, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Saudi Arabia.	
TEL-29855	Australia	\$72
TEL-29856	Austria	\$725
TEL-29857	Belgium	\$725
TEL-29858	Denmark	\$725
TEL-29859	Finland	\$725
TEL-29862	India	\$725
TEL-29863	Ireland	\$725
TEL-29865	Italy	\$725
TEL-29867	UI 220/240 VAC UK plug for use in: Bahrain, Botswana, Cyprus, Ghana, Kuwait, Lebanon, Oman, Pakistan,	\$725
	Qatar, Sri Lanka, United Arab Emirates.	
TEL-29868	Netherlands	\$725
TEL-29869	Portugal	\$725
TEL-29871	Spain	\$725
TEL-29873	Switzerland	\$725
TEL-29874	UK	\$725
TEL-29876	Poland	\$725
TEL-29877	Norway	\$725
TEL-29880	Brazil (110/120 VAC)	\$725
TEL-29881	Greece	\$725
TEL-29882	Russia	\$725
TEL-29884	Malaysia	\$725
TEL-29885	Hong Kong	\$725
	Singapore	
TEL-29886		\$725
TEL-29887	Argentina Control Cont	\$725
TEL-29888	UI 220/240 VAC K.21 Universal International 220/240 VAC model	\$72
	346X Accessories and Miscellaneous	
TEL-39598	3460 Fast'RVu Software on CD-ROM	\$25
TEL-39599	StackSix Stacking Kit for 3460 - Includes cables and clips for stacking of 6 modems plus Fast'RVu SW on	\$195
TEL-39718	-48 VDC Redundant Power Supply Card for 3460 Accessway 2W - includes single redundant power supply	\$915
	and sheetmetal PS enclosure w/backplane.	, .
TEL-39719	110/220V Spare Power Supply for 3460 Accessway 2W - includes redundant power supply and sheetmetal	\$395
	PS enclosure w/backplane.	***
TEL-39720	-48 VDC Spare PS Enclosure Sheetmetal and backplane only (order P/S -48 VDC separately)	\$50
TEL-40384	5' 8-pin DINM-DB25F Crossover Network Management Adaptor Cable	\$25
TEL-40380	6' 8-pin DINM-DINM Straight Thru Network Management Adaptor Cable	\$25
122 40000	o o pin birtin ottaight third Notwork management Adaptor odbio	ΨΖΟ
	Power Cords	
TEL-17206	Power Cord, Australia AS3112. For Argentina, Australia (52351-14)	\$27
TEL-17211	Power Cord, Israel (52351-15)	\$27
TEL-17214	Power Cord, Switzerland (52351-16)	\$27
TEL-17215	Power Cord, Denmark (52351-11)	\$27
TEL-17217	Power Cord, India (52351-18)	\$27
TEL-17225	Power Cord-NEMA5-15 For Brazil, Canada, Chile, Columbia, Costa Rica, Ecuador, Korea, Mexico,	\$27
	Panama, Philippines /tauwab. (02323)	Ψ21
TEL-17226	Power Cord, Power Cord Schuko CEE 7 (52351-09)	\$27
TEL-17227	Power Cord, Power Cold Schlako CEE 7 (32331-09)	\$27
02323	Power Cord, North America	\$27
UZJZJ		φ21
	Global Series Modems Clobal Carrier 56, V.00, 2 and 4 wire Dial and Legard Line, EAV, AT 8, V.25 his Corporate Crade Sequenty	Φ <i>4 E 4</i>
TEL FROOD	Global Carrier 56, V.90, 2 and 4 wire Dial and Leased Line, FAX, AT & V.25 bis, Corporate Grade Security	\$450
TEL-56000	Clobal Promier F6 V 02 2 wire dial and leased line date/FAV Damets Configure and December Configure	ተባር፣
TEL-56000 TEL-56200	Global Premier 56, V.92, 2 wire dial and leased line, data/FAX, Remote Configure and Password Security	\$295

	Data Service Unit/Channel Service Unit (DSU/CSU) supports synch transmission up to 64 kbps and	
	async up to 19.2 kbps. Available with Point-to-Point (PP), Network Management Support (NMS),	
	Time-Division Multiplexing (TDM), and Single Line Restoral for V.32 bis (SLR). Standalone units	
	shipped with 100-120 VAC power supply, 47-63 Hz. Order 220/240 VAC power supply kit separately	
TEL-48015	16 SLOT MINI NEST with 110/120/220/240 VAC	\$1.195
TEL-48428	100/120/220/240 VAC PS accessory kit for 3512	\$191
TEL-49151	3512 1-CHANNEL STANDALONE 2.4 - 64K	\$778
TEL-49152	3512 1-CHANNEL STANDALONE 2.4 - 64K w/ NMS	\$1,312
TEL-49154	3512 4-CHANNEL STANDALONE w/ PP, TDM	\$1,400
TEL-49178	3512 4-CHANNEL NEST CARD 2.4 - 64K w/ PP	\$1,347
1EL-49170	3312 4-CHANNEL NEST CARD 2.4 - 04K W/ FF	φ1,5 4 1
	V.3600 Data/Fax Modem	
	33.6 kbps ITU-T V.34 modem; V.42bis data compression with data throughput rates up to 115.2	
	kbps; Fax; Security; LCD; dial & 2-4 wire leased line; Flash memory. Standalone version includes	
	RJ11 dial & RJ45S/RJ41S cables, and User Guide, nest cards include User Guide only	
TEL-48459	Standalone To Nest Card Conversion Kit	\$35
TEL-48460	10-53 VDC Standalone low voltage DC version	call
TEL-48481	220/240 VAC UI Standalone Euro Plug. Universal International (UI).	\$649
TEL-48482	220/240 VAC UI Standalone UK Plug. Universal International (UI).	\$649
TEL-48483	220/240 VAC UI Standalone Australia Plug. Universal International (UI).	\$649
TEL-48486	220/240 VAC Standalone-Malaysia	\$649
EL-6209548100010	RM16M nest card modem-Universal Model - Domestic and International	\$619
TEL-6209548200010	110/120 VAC Standalone-Universal Model - Domestic and International	\$649
EL 6200549200020	10-53 VDC Standalone low voltage DC version	\$799
EL-0209548200020	10-53 VDC Standardne row voltage DC version	\$799
	DDS/MR64 DSU/CSU	
EL-6456524600010	DDS/MR64 Nest Card 2.4 to 56Kbps PP & MP plus 64Kbps Clear Channel; sync and async operation; Rate	\$695
	adaptive; Switchable RS232/V.35 DB25 interface (V.35 adapter included); LCD front panel; 8 pin mod and spade lug network cables; RM16M backplane separate order.	
TEL-6456524700020	DDS/MR64 Standalone 2.4 to 56Kbps PP & MP 64Kbps Clear Channel; sync and async operation; Rate	\$725
EL-0430324700020	adaptive; Switchable RS232/V.35 DB25 interface (V.35 adapter included); LCD front panel; 8 pin mod and	φ125
FFL 0.400F0.400000	FT100, FT100S - T1/Fractional T1 DSU/CSU	****
EL-6496504600020	FT100S LCD V.35 Standalone 1-V.35 w/DB25 connector (V.35 adapter included), supervisory port (DB9)	\$895
	or LCD front panel control; 8 pin mod and spade lug network cables.	
EL-6496504700040		
	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane.	\$871
EL-6496504800050	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane.	
EL-6496504800050	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1	\$871 \$1,895
	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front	\$1,895
	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest	
EL-6496504900100	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front	\$1,895
EL-6496504900100	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest	\$1,895 \$1,871
EL-6496504900100	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane	\$1,895 \$1,871 \$1,871
EL-6496504900100	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest	\$1,895 \$1,871
EL-6496504900100	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC	\$1,895 \$1,871 \$1,871
EL-6496504900100 EL-6496504900110 EL-6496505400010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC	\$1,895 \$1,871 \$1,871 \$1,565
TEL-6496504900100 TEL-6496504900110 TEL-6496505400010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC	\$1,895 \$1,871 \$1,871
FEL-6496504900100 FEL-6496504900110 FEL-6496505400010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface)	\$1,895 \$1,871 \$1,871 \$1,565
FEL-6496504900100 FEL-6496504900110 FEL-6496505400010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC	\$1,895 \$1,871 \$1,871 \$1,565
ΓEL-6496504900100 ΓEL-6496504900110	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface) RM16 Nests for Sunrise and Telenetics Products (19" and 23" rack-compatible)	\$1,895 \$1,871 \$1,871 \$1,565
FEL-6496504900100 FEL-6496504900110 FEL-6496505400010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface) RM16 Nests for Sunrise and Telenetics Products (19" and 23"	\$1,895 \$1,871 \$1,871 \$1,565
FEL-6496504900100 FEL-6496504900110 FEL-6496505400010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface) RM16M Nests for Sunrise and Telenetics Products (19" and 23" rack-compatible) RM16M Nests feature modular, redundant power supplies, multiple backplane configurations and	\$1,895 \$1,871 \$1,871 \$1,565
EL-6496504900100 EL-6496504900110 EL-6496505400010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface) RM16M Nests for Sunrise and Telenetics Products (19" and 23" rack-compatible) RM16M Nests feature modular, redundant power supplies, multiple backplane configurations and the ability to mount in either a 19" or 23" cabinet using a reversible bracket. The RM16M supports	\$1,895 \$1,871 \$1,871 \$1,565
EL-6496504900100 EL-6496504900110 EL-6496505400010 EL-6457503600010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface) RM16M Nests for Sunrise and Telenetics Products (19" and 23" rack-compatible) RM16M Nests feature modular, redundant power supplies, multiple backplane configurations and the ability to mount in either a 19" or 23" cabinet using a reversible bracket. The RM16M supports the V.3600 modem series, MR64 CSU/DSU, all FT100 CSU/DSU, and Telenetics' DSP9612 and	\$1,895 \$1,871 \$1,871 \$1,565
EL-6496504900100 EL-6496504900110 EL-6496505400010 EL-6457503600010 TEL-62005083	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface) RM16M Nests feature modular, redundant power supplies, multiple backplane configurations and the ability to mount in either a 19" or 23" cabinet using a reversible bracket. The RM16M supports the V.3600 modem series, MR64 CSU/DSU, all FT100 CSU/DSU, and Telenetics' DSP9612 and	\$1,895 \$1,871 \$1,871 \$1,565 \$235
TEL-6496504900100 TEL-6496504900110 TEL-6496505400010 TEL-6457503600010	RM16M FT100S LCD V.35 Card w/backplane As Standalone includes RM16M nest segment backplane. FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Standalone 1-V.35 w/DB-25 connector (V.35 adapter included); 1 DSX-1 w/DB25 (DB25 8 pin mod & DB25 to DB15 adapters included); supervisory port (DB9) or LCD front RM16M FT100 T1/FT1 CSU/DSU LCD Dual V.35 Card w/Backplane As Standalone includes RM16M nest segment backplane. RM16M FT100 T1/FT1 CSU/DSU LCD V.35/DS1 Card w/backplane As Standalone includes RM16M nest segment backplane FT100S LCD V.35 Standalone220/240 VAC 1-V.35 w/DB25 connector (V.35 adapter included); supervisory port (DB9) or LCD front panel control; 8 pin mod and spade lug network cables; 220/240 VAC NT1D - ISDN Network Termination Unit NT1D DESKTOP 110/120 VAC (Converts 2W "U" interface to 4W "S/T" interface) RM16M Nests for Sunrise and Telenetics Products (19" and 23" rack-compatible) RM16M Nests feature modular, redundant power supplies, multiple backplane configurations and the ability to mount in either a 19" or 23" cabinet using a reversible bracket. The RM16M supports the V.3600 modem series, MR64 CSU/DSU, all FT100 CSU/DSU, and Telenetics' DSP9612 and	\$1,895 \$1,871 \$1,871 \$1,565

TEL-62005223	Model 23 - 48 VDC (NO BACKPLANE). DCE and DTE connectors not included - customer must order	\$1,560
TEL-62005227	individual backplane segments separately Model 27 - 110/120 VAC 16 qty. RJ-11 Telco and Telset jacks with dial backup support; 16 DB25 DTE	\$1,331
TEL-62005227	Model 28 - 110/120 VAC 16 qty. RJ-11 Telco and Telset Jacks with dial backup support, 16 DB25 DTE Model 28 - 110/120 VAC 2 qty. Dual-50 pin mass termination DCE connectors with dial backup support; 16	\$1,395
TEL-62005233	Model 33 - 48 VDC 16 qty. RJ-11 Telco and Telset jacks with dial backup support; 16 DB25 DTE	\$2,031
TEL-62005233	Model 34 - 48 VDC 2 qty. Dual-50 pin mass termination DCE connectors with dial backup support; 16 DB25	\$2,095
TEL-62005502	Model 502 - 220/240 VAC 16 qty. RJ-11 Telco and Telset jacks with dial backup support; 16 DB25 DTE	\$1,531
TEL-52005337	*OEM VERSION ONLY* Model 37 - 110/120 VAC 16 qty. RJ-11 Telco and Telset jacks with dial backup	call
TEL-6500204900010	Power Supply 110/120 VAC spare or replacement unit	\$475
TEL-6500238500010	Power Supply Card 48 VDC spare or replacement PWA	\$295
TEL-6500304800010	Power Supply 220/240 VAC spare or replacement unit	\$475
	8 Slot Backplanes - RM16M (for models 62005203, 62005223 only)	
TEL-6500299000010	BACKPLANE 19" LEFT SIDE DUAL MOD TEL DB25	\$253
122 000020000010	British British to Early olds Brothermore residence	Ψ200
TEL-6500299100010	BACKPLANE 19" RIGHT SIDE DUAL MOD TEL DB25	\$253
TEL-6500299500010	BACKPLANE 19" RIGHT SIDE DUAL MASS TERM DB25	\$340
TEL-6500299600010	BACKPLANE 19" LEFT SIDE DUAL MASS TERM DB25	\$340
	Single Slet Segmentable Backplanes BM46M (for \$2005202 \$2005222 only)	
TEL 6500246200000	Single Slot Segmentable Backplanes - RM16M (for 62005203, 62005223 only) BLANK - SINGLE SEGMENT ASSY PLATE	¢42
TEL-6500216300000	BLANK - SINGLE SEGMENT ASSY PLATE	\$13
TEL-6500291000010	Backplane 1 Segment - Dual Mod Tel/DB25 DTE	\$55
	_	
	326X Modem Backplanes - for Modular Nests	
TEL-22365	1 Slot Modular Nest Backplane. All countries without specific backplanes id'd elsewhere	\$265
TEL-22368	9 Slot Modular Nest Backplane All countries without specific backplanes identified elsewhere	\$1,220
TEL-22370	9 Slot Modular Nest Backplane. Hong Kong, S. Africa, UK, Ireland. All versions	\$1,220
TEL-22374	21 CARD/10 SLOT Modular Nest backplane 2W LL/DB25 - Universal version - All countries without specific	\$1,629
	backplanes identified elsewhere. DOES NOT SUPPORT MAKE-BUSY!	
TEL-22376	21 CARD/10 SLOT Modular Nest backplane 2W LL/DB25 UK, Hong Kong, South Africa. DOES NOT	\$1,629
TEL-22380	9 Slot Modular Nest Backplane, custom	
	Bundled Packet Switches / 6500-Plus Backplanes	
TEL 07440	·	# 54.000
TEL-67442	X.25 Packet Switch Bundle W/17 V.35 DIM, 1 V.24 DIM (pre-configured bundle)	\$54,039
TEL-67443	X.25 Packet Switch Bundle W/10 V.35 DIM, 8 V.24 DIM (pre-configured bundle)	\$54,039
TEL-67444	X.25 Packet Switch Bundle W/18 V.35 DIM (pre-configured bundle) 6500 Series Modular Nest 54-port Backplane. (For Modular Nest 21-slot nest only.)	\$54,039 \$7,200
TEL-68878	1 1 1 1 1 1 1 1 1 1	\$7,200
	6500-Plus Series Products	
TEL-17336	Vanguide Release 5.2 - Year 2000 Ready software, applications, and documentation on CD-ROM	\$25
TEL-19011	9000 NT Open Management System Release 5.0 For Motorola and Telenetics Tran products, and other	\$6,811
122 10011	Motorola NMS-capable products. Requires HP OpenView NNM 6.0 or higher and Windows NT 4 or higher.	ψο,σιι
	DAS 925 AccessWay not supported by 9000 NT. (Tran product management requires separate PC running	
TEL-19045	9000 TRAN Proxy Release 4.10 For Motorola and Telenetics Transmission products. Requires OS/2 PC	\$1,356
122 10040	operating system (OS/2 Warp 4 recommended)	ψ1,000
TEL-50883	6500+ Ser/PLUS 1 Application Package Image Includes: FRA, FRI, MX25, X.25, SMDS, APAD/TPA,	\$1,080
00000	ATPAD, Broadcast, BSC2780/3780, BSC3270, Burroughs P/S, XDLC, SNA/SDLC, TBOP, TCOP,	ψ1,000
	TBOP/TCOP Async Bypass, LLC-TR, LLC-FR, TR Bridging, PPP, SLIP, SIP, IP, TNPP, D/CP, DSD, LBU,	
TEL-50884	6500+Ser/PLUS 2 Application Includes: FRA, FRI, MX25, X.25, XDLC, APAD/TPA, ATPAD, SNA/SDLC,	\$1,080
122 00004	Siemens HDLC, BSC 2780/3780, BSC 3270, Burroughs P/S, NCR BSC, NUI, PPP, RS366, TBOP, TCOP,	ψ1,000
	TBOP/TCOP Async Bypass, LLC-TR, LLC-FR, TR Bridging, NCCP, PPP, SIP, SLIP, IP, D/CP, DSD, LBU,	
	SNMP, TFTP, TELNET. (Installed onto CPU/Plus Card P-C TEL-68500 - not included)	
TEL-68500-400	6500+ CPU Card w/5MB DRAM. Includes: 6500 PLUS CPU Card, Flash Mem Assy, 4MB DRAM SIMM	\$4,207
1 LL-00000-400	and 6525 Plus ID Module. Order Serial/Plus1, P-C 50883 or Serial/Plus2 Application Package Separately	ψ+,∠∪/
1	iano voco i ma na migrouie. E videl denamenda i, esv augob di denamenda Audinandii Fackade dedalalem I.	
	(Release 5.1M). Order DIMS (2DIMs/Card) separately, P-C TEL-68791 or TEL-68792. NOTE: NO	

TEL-68500-401	6500+ CPU Card w/5MB DRAM. Includes: 6500 PLUS CPU Card, Flash Mem Assy, 4MB DRAM SIMM and 6525 Plus ID Module, and Serial/Plus Application Package PLUS 1, P-C 50883 (Release 5.1M). Order DIMS (2DIMs/Card) separately, P-C TEL-68791 or TEL-68792. ('Serial 1' SOFTWARE NOW INCLUDED!)	\$5,287
TEL-68500-402	6500+ CPU Card w/5MB DRAM. Includes: 6500 PLUS CPU Card, Flash Mem Assy, 4MB DRAM SIMM and 6525 Plus ID Module, and Serial/Plus Application Package PLUS 2, P-C 50884 (Release 5.1M). Order DIMS (2DIMs/Card) separately, P-C TEL-68791 or TEL-68792. ('Serial 2' SOFTWARE NOW	\$5,287
TEL-68500-403	6500+ CPU Card w/5MB DRAM. Includes: 6500 PLUS CPU Card, Flash Mem Assy, 4MB DRAM SIMM and 6525 Plus ID Module, and Custom X.25 Application Software (For Custom Application customers only). Order DIMS (2DIMs/Card) separately, P-C TEL-68791 or TEL-68792. (OEM Packet Switch	\$5,287
TEL-68647	6500+ Flash Memory Option card for 6500 PLUS	\$600
TEL-68501-40	6500+ Auxiliary Processor Card w/5MB DRAM, Includes: 6500Plus AUX Card, 3.00 Prom Set and 6525 ID Module. Order DIMS (2DIMs/Card) separately, PC TEL-68791 or TEL-68792.	\$4,207
TEL-68791	V.24 DIM (RS-232)	\$100
TEL-68792	V.35 DIM	\$100
TEL-68904	6500 Series Universal I/O card 6-port Network Card for 6507; requires free slot on the backplane ordered with the CPU card. The card requires two adjacent open slots in a Modular Nest.	\$2,640
TEL-80401-20	Modular Nest 21 Slot Enclosure. Standard AC Powered System with two 110/120/220/240 VAC power supplies, one fan, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord. No	\$2,476
TEL-80401-24	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with two 110/120/220/240 VAC power supplies, one fan, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-	\$4,105
TEL-80401-26	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with two 110/120/220/240 VAC power supplies, one fan, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-	\$4,105
TEL-80401-28	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with two 110/120/220/240 VAC power supplies, one fan, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-	\$9,676
TEL-80401-29	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with two 110/120/220/240 VAC power supplies, one fan, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-	\$4,105
TEL-80401-30	Modular Nest 21 Slot Enclosure. Standard AC Nest System with three 110/120/220/240 VAC power	\$3,011
TEL-80401-34	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with three 110/120/220/240 VAC power supplies, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-22374	\$4,640
TEL-80401-36	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with three 110/120/220/240 VAC power supplies, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-22376	\$4,640
TEL-80401-38	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with three 110/120/220/240 VAC power supplies, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-68878	\$10,211
TEL-80401-39	Modular Nest 21 Slot Enclosure Bundle. AC Nest System with three 110/120/220/240 VAC power supplies, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord, PLUS one TEL-22379	\$4,640
TEL-80403	Modular Nest 9 Slot Enclosure, Compact Nest System, includes one 110/120/220/240 VAC power/fan module, one 110/120 VAC N. America power cord and one UK 220/240 VAC power cord. No Backplane	\$1,145
TEL-80405	Spare Fan Module for Modular Nest 9 or 21 nest (AC & DC compatible)	\$463
TEL-80407	Modular Nest 9/21 110/120/220/240 VAC Power Supply Assembly. For use with Modular Nest 9 and 21.	\$535
TEL-80408-20	Modular Nest 21 Slot Enclosure, Standard DC Powered System. Includes two -48V power supplies and one fan assembly. No Backplane included.	\$4,364
TEL-80408-24	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with two -48V power supplies and one fan assembly, PLUS one TEL-22374 backplane	\$5,993
TEL-80408-26	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with two -48V power supplies and one fan assembly, PLUS one TEL-22376 backplane	\$5,993
TEL-80408-28	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with two -48V power supplies and one fan assembly, PLUS one TEL-68878 backplane	\$11,564
TEL-80408-29	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with two -48V power supplies and one fan assembly, PLUS one TEL-22379 backplane	\$5,993
TEL-80408-30	Modular Nest 21 Slot Enclosure, Standard DC Powered System. Includes three -48V power supplies. No	\$5,019
TEL-80408-34	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with three -48V power supplies, PLUS one TEL-	\$6,648
TEL-80408-36	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with three -48V power supplies, PLUS one TEL-	\$6,648
TEL-80408-38	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with three -48V power supplies, PLUS one TEL-	\$12,219
TEL-80408-39	Modular Nest 21 Slot Enclosure Bundle. DC Nest System with three -48V power supplies, PLUS one TEL-	\$6,648
TEL-80409	Modular Nest 9/21 -48 VDC Power Supply Module	\$655
TEL-80410	Modular Nest 9/21 Front Filler Panel Enclosure Filler Panel - Front	\$11

NOTES:	
1. UK = United Kingdom & Ireland	5. UI = Universal International
2. SA, S/A = Standalone	6. MB = Make Busy
3. CD = Nest Card	7. MT = Mass Termination
4. LL = Lease Line	

	Standalone Modems	
	Telenetics' industrial grade modems individually suited for dial up and leased line	
	applications. Unless otherwise specified, standard voltage is 48 to 220 VAC or DC.	
	For low voltage option (9-36VDC) add "-LV" to Model number.	
MIU2.4	V.22bis, 2400 bps Dial-up Modem	\$365
MIU9.6FPD	9600 bps, Digital Fast Poll Modem	\$695
MIU9.6FPD/R	9600 bps, Digital Fast Poll Modem Repeater	\$795
MIU14.4	V.32.bis,14.4 Kbps Dial-up Modem	\$535
MIU14.4L	V.32.bis, 14.4 Kbps LL Modem W/ EC,DC 2/4 Wire Lease	\$570
MIU14.4EL	V.29 9600 bps, or V33, 14400 bps Leased-Line Modem W/O DC, EC 4 Wire	\$695
MIU23	V23, 1200 bps, LL Modem	\$575
MIU28.8	V.34 28.8 Kbps Dial Up Modem	\$597
MIU202T	Bell 202T, 1200 bps LL Modem	\$525
MIU56	Industrial Grade V.90, 56K Dial / 33.6K LL Remote Configuration, Password Security with Voice Alert	\$595
MIU LDM	Limited Distance Modem (Short Haul)	\$325
DSP9612FP	1200/4800/9600 bps LL Fast Poll Modem. Point-to-Point or Multi-Point applications. 85-265 VAC or 85-400	\$895
	VDC Version Standalone. Bell 202T Combatible in 1200bps mode	
DSP9612-LV	1200/4800/9600 bps LL Fast Poll Modem. Point-to-Point or Multi-Point applications. 10-53 VDC Version	\$895
DSP9612RM	1200/4800/9600 bps LL Fast Poll Modem. Rack Mount version (RM16 Nest). Bell 202T Combatible in	\$795
LV	add -LV suffix to MIU Series for Low Voltage option 9 to 36 VDC	Included
	RS232 Power-Port Modems	
	RS-232 Port-Powered Modems. Standard voltage + 5VDC is +/- 5%.	
	For optional (7 to 16 VDC), please contact Telenetics.	
MIU/PowerPort2.4	V.22bis, 2400 bps Dial-up Modem	\$365
	9600 bps Digital Fast Poll Modem	\$695
IU/PowerPort9.6FPD		
	9600 bps Digital Fast Poll Modem w/ Repeater	\$795
IIU/PowerPort9.6FPD		
/R		
MIU/PowerPort14.4	V.32bis, 14.4 Kbps Dial-up Modem	\$535
MIU/PowerPort14.4L	V.32bis, 14.4 Kbps Leased-Line Modem	\$570
	·	
//////////////////////////////////////	V29. 9600 bps or V.33, 14.4 Kbps Leased-Line Modem	\$695
	•	
MIU/PowerPort28.8	V.34 28.8 Kbps Dial-up Modem	\$597
MIU/PowerPort28.8	V.34 28.8 Kbps Dial-up Modem	\$597
MIU/PowerPort28.8	V.34 28.8 Kbps Dial-up Modem	\$597
	V.34 28.8 Kbps Dial-up Modem Bell202T, 1-1200 bps Leased-Line Modem	\$597 \$525
		•
		·
MIU/PowerPort202T		•
MIU/PowerPort202T	Bell202T, 1-1200 bps Leased-Line Modem	\$525
MIU/PowerPort202T	Bell202T, 1-1200 bps Leased-Line Modem	\$525
MIU/PowerPort202T	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V	\$525
MIU/PowerPort202T MIU/PowerPortLDM	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V	\$525 \$365
MIU/PowerPort202T MIU/PowerPortLDM	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz)	\$525 \$365
MIU/PowerPort202T MIU/PowerPortLDM WT-120-9VA	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz) Fiber Optic Drivers with Modems	\$525 \$365 \$25
MIU/PowerPort202T MIU/PowerPortLDM WT-120-9VA FOIU	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz) Fiber Optic Drivers with Modems Fiber Optic Driver	\$525 \$365 \$25 \$524
MIU/PowerPort202T MIU/PowerPortLDM WT-120-9VA FOIU FO/MIU2.4	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz) Fiber Optic Drivers with Modems Fiber Optic Driver with V22bis, 2400 bps Dial-up modem	\$525 \$365 \$25 \$524 \$729
MIU/PowerPort202T MIU/PowerPortLDM WT-120-9VA FOIU FO/MIU2.4 FO/MIU14.4	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz) Fiber Optic Drivers with Modems Fiber Optic Driver with V22bis, 2400 bps Dial-up modem Fiber Optic Driver with V32bis, 14.4 Kbps Dial-up modem	\$525 \$365 \$25 \$524 \$729 \$899
MIU/PowerPort202T MIU/PowerPortLDM WT-120-9VA FOIU FO/MIU2.4	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz) Fiber Optic Drivers with Modems Fiber Optic Driver with V22bis, 2400 bps Dial-up modem	\$525 \$365 \$25 \$524 \$729
MIU/PowerPort202T MIU/PowerPortLDM WT-120-9VA FOIU FO/MIU2.4 FO/MIU14.4	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz) Fiber Optic Drivers with Modems Fiber Optic Driver with V22bis, 2400 bps Dial-up modem Fiber Optic Driver with V32bis, 14.4 Kbps Dial-up modem	\$525 \$365 \$25 \$524 \$729 \$899
MIU/PowerPort202T MIU/PowerPortLDM WT-120-9VA FOIU FO/MIU2.4 FO/MIU14.4	Bell202T, 1-1200 bps Leased-Line Modem Limited Distance Modem, PowerPort, 5-12V Optional 120VAC Wall Plug Transformer for MIU/PowerPort modems (60 Hz) Fiber Optic Drivers with Modems Fiber Optic Driver with V22bis, 2400 bps Dial-up modem Fiber Optic Driver with V32bis, 14.4 Kbps Dial-up modem	\$525 \$365 \$25 \$524 \$729 \$899

LSS1	Line Surge Suppressor	\$99
MIU/MTGK	Surface Wall or Panel Mounting Kit	\$23
RS485Ext25	External RS485 interface unit, DB25 Pin, male, 4 screw terminal for line	\$104
RS485Ext 9	External RS485 interface unit, DB9 Pin, male, 4 screw terminal for line	\$104
TO TOOLAL O	External No 100 internade unit, BB0 1 in, maie, 4 objew terminal of line	Ψίοτ
	Myriad Modem Rack Hardware and Power Supplies	
MDR	Rack Mount Chassis & AC Power Backplane Assembly (18 Slots)	\$895
MDP-00	DC Power Supply Card with frontplate 19-36 VDC	\$198
MDP-01	DC Power Supply Card with frontplate 38-56 VDC	\$198
MDP-02	AC Power Supply Card with frontplate 90-140 VAC, 50/60Hz	\$198
MDP-03	AC Power Supply Card with frontplate 175-265 VAC, 50/60Hz	\$198
MDMC	Modem Carrier Card with face plate (without modem)	\$115
MDBP-M	Blank Panel for Modem Card slot	\$8
MDBP-P	Blank Panel for Power Supply slot	\$8
	Myriad Rack Modem Cards	
MD2.4	V22bis, 2400 bps, Dial-up Modem	\$294
MD9.6FPD	9600 bps Digital Fast Poll Modem	\$624
MD14.4	V32bis, 14.4 Kbps, Dial-up Modem	\$466
MD14.4L	V32bis, 14.4 Kbps LL Modem	\$501
MD14.4EL	V.29, 9600 bps or V.33, 14.4 Kbps Leased-Line Modem	\$624
MD23	V23, 1200 bps LL modem	\$484
MD28.8	V.34, 28.8Kbps Dial-up Modem	\$466
MD202T	Bell202T, 1200 bps Leased-Line Modem	\$434
MD-LDM	Limited Distance Modem	\$294
	Pony Express Custom OEM Modem Modules	
	Interface and supply voltage must be specified as -DO or D2 when ordering	
MB56	Modem Module Development Board for MM56, Serial I/O, Power connector and Telco IF	\$125
MM56	Embedded Modem Module V.92, Size 65.6 x 26.6 x 17 mm, Dial, LL and FAX, TTL/IO to 230.4 Kbps,	\$65
	190mA @ 5 VDC or 3.3 VDC option, Standard Pin outs, optional NEMA temperature range.	
PE2400	V.22bis, 2400 bps, Dial-up Modem Module	\$195
PE.9.6FPD	9600 bps Digital Fast Poll Modem Module	\$525
PE14.4	V32bis, 14.4 Kbps Dial-up Modem Module	\$367
PE14.4L	V32bis, 14.4 Kbps LL Modem Module	\$402
PE14.4EL	V.29, 9600 bps, or V.33, 14.4Kbps LL Modem	\$525
PE28.8	V.Fast 28.8 Kbps Dial-Up Modem Module	\$427
PE23	V23, 1200 bps, LL	\$385
PE202T	Bell 202T, 1200 bps LL Modem Module	\$335
PE-LDM	Limited Distance Modem Module	\$195
PE-FO	Fiber Optic Line Driver Module	\$364
PE485	RS232/RS485 Converter Module	\$149
D0	Power suffix -D0 = RS232, +5.5V - 9.0VDC	Included
D2	Power suffix -D2 = RS232, +5.0VDC	Included
	Note: PE Modules do not mount in the Myriad Rack. See Myriad Modem Rack Cards Section	
	Hide Away Line-Powered Modems	
HA2400LP	V22bis, 2400 bps Dial-up Modem	\$229
	Bell 202T Compatible Modems	
MOT202TSA	Bell 202T, 1800 bps Standalone Modem	\$595
MOT202TSADC	Bell 202T, 1800 bps, 5-60VDC low voltage modem	\$790
MOT202TRM	Bell 202T, 1800 bps Rackmount Modem (RM16 Nest)	\$545
MOT-202T-RMPNL See DSP9612XX	Front Panel Kit for MOT-202T DSP9612 Series is Bell 202T compatible in 1200 mode	\$19
		+
See MIU202T See MD202T	Other Bell 202T Models Other Bell 202T Models	+
See MD2021 See PE202T	Other Bell 2021 Models Other Bell 202T Models	+
JCC FEZUZI	Outer Deli 2021 WiOucio	+

Revision Notes and History:

Initial Release	8-Mar-2001
10 October 2002 Release	
Deleted TEL-39625; replaced with TEL-39632 (duplicate item)	
Deleted TEL-6500207100010 and TEL-6500207200010 RM16M backplanes (not available)	
Deleted TEL-6500205200020 and TEL-6500205300020 RM16M backplanes (not available)	
Corrected RM16M Dual Mod Tel backplane product codes	
Modems.	
Added new items in red text MIU-LDM, MD28.8, MIU9.6FPD/R, PE28.8	
Deleted TEL-6500425400010 (single mod tel RM16M backplane 1 slot due to obsolescence)	
Added Global Series, MM56 and MIU56	22-Oct-2002
January 7 2003 Release	
Removed TEL-56400,TEL-56500 & TEL-56501 Products not available for sale	
	26 February ,
Changed Special order quantities from minimum 10 to 25, Price increase for MDR	03
Removed all special order model numbers to "Special Order Price list"	15-Apr-03